

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	504	52/633.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 17:19
L2	160	truss and C and channel and dowel	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 17:20
L3	0	truss and C and channel and dowel	JPO	ADJ	ON	2008/10/02 17:21
L4	42	truss and C and channel	JPO	ADJ	ON	2008/10/02 17:21
S1	4	((("6073414") or ("20020059774") or ("6354642") or ("5617072")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/01 11:02
S2	6	(truss manufacturing).ti.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/01 11:03
S3	1	(truss manufacturing).ti. and alignment jig	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/01 11:03
S4	9	C with channel with stud and (roll-forming or roll form or roll-form)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/01 13:36
S5	22	(back-to-back or back to back) and stud with truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/01 13:45
S6	353	29/897.31.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/01 13:50
S7	89	(back-to-back or back to back) and stud and truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/01 14:11
S8	23	("2632533"   "2733786"   "2746780"   "2990920"   "3019866"   "3043409"   "3077960"   "3127961"   "3423898"   "4551957"   "4688358"   "4697393").PN. OR ("5715642").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/01 14:19

S9	4	dowel with alignment with truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/01 15:34
S10	12	dowel with alignment same truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/01 15:40
S11	1	"1109193"	EPO	ADJ	ON	2008/10/02 10:57
S12	206	roll punch	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 10:57
S13	33	roll punch and stud	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 10:58
S14	1725	(dowel or peg) with (stud or truss)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 13:43
S15	100	(dowel or peg) with (stud or truss) and roof	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 13:43
S16	3	29/897.31.ccls. and (dowel or peg)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 13:52
S17	0	29/897.31.ccls. and alignment with stud	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 13:54
S18	1	29/897.31.ccls. and align with stud	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 13:54
S19	8	("3319323").URPN.	USPAT	ADJ	ON	2008/10/02 13:54
S20	0	("7093829").URPN.	USPAT	ADJ	ON	2008/10/02 13:58
S21	19	("2680287"   "3319323"   "3629931"   "3734376"   "3767100"   "3811167"   "3896171"   "4516675"   "4669184"   "5092028"   "5342030"   "5702095"   "5854747"   "5947460"   "6155549"   "6260263"   "6317980").PN. OR ("6712347").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 13:58

S22	0	without with jig wit (truss or stud)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 13:59
S23	61	without with jig with (truss or stud)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 13:59
S24	3	((("4982545") or ("6553736") or ("5722210")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/02 14:08
S25	139	(tek or self drilling or self-drilling) with (stud or truss)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:15
S26	4157	(dowel or peg or pin) with (align or alignment) with (screw)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:21
S27	73	(dowel or peg or pin) with (align or alignment) with (screw) with (stud or truss)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:22
S28	389	(dowel or peg or pin) with (align or alignment) with drilling	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:30
S29	6	(dowel or peg or pin) with (align or alignment) with drilling and truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:30
S30	1	assembly tag with truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:42
S31	46	label near4 stud	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:49
S32	0	label near4 stud same truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:49
S33	2	label near4 stud and truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:49
S34	2	information near4 stud and truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:50
S35	4	(stamp or identify) near4 stud and truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:51
S36	13	(indicia) near4 stud and truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:53

S37	985	roll form with (print or label or indicate)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:55
S38	651	roll form near5 (print or label or indicate)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:56
S39	462	roll form near3 (print or label or indicate)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:56
S40	0	roll form near3 (print or label or indicate) with (stud or truss)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:56
S41	0	roll form with (print or label or indicate) with (stud or truss)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:56
S42	51	roll form with (print or label or indicate) and (stud or truss)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 14:56
S44	516	(label or print or labeling or printing) with (information or instruction) and S42/. clas.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 15:09
S45	38	(label or print or labeling or printing) with truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 15:11
S46	2317	(label or print or labeling or printing) with stud	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 15:14
S47	11	(label or print or labeling or printing) with stud and truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 15:14
S48	108	(label or print or labeling or printing) with (location or identifier or placement) and truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 15:22
S49	11181	roll forming	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 15:26
S50	31	roll forming with truss	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/02 15:26

10/2/2008 5:31:52 PM

C:\Documents and Settings\rwalters1\My Documents\EAST\Workspaces\10824165  
TRUSS manufactring method.wsp